HOS REPORTER

MULTI OPERATING AUTHORITY (MOA)

VERSION 4.1.X

FINAL DOCUMENTATION

Contents

MOA Hierarchy	3
Multi Operating Authority – main menu	3
Manage	4
Carriers	5
Drivers	5
Home Base	6
Assets	6
Notifications	7
Administration Menu	8
MOA	8
Create or Update MOA	9
Users	10
Create or Update MOA Users	10
Note	12

What's new in Multi Operating Authority (MOA) version 4.1.x?

MOA Hierarchy



Multi Operating Authority - main menu

A new MOA top menu appears containing the list of all created MOAs and a direct link to carrier mode.

🎝 Manage	Multi Operating Authority	asterenv3
🛱 Log Books	Manage	
🎍 Unidentified Logs		
🖨 Log Edits	Carriers	+New
🕈 Dashboard 🔍 🤇	NAME DOT/NSC NUMBER ACTIONS	
Violations	Select a carrier *	
Ê, DVIR		
🖝 IFTA		
Priver Records		
P FMCSA Records		
& Shipments		
👁 Engine Diagnostic		
🛱 Driver Duty Report		
🗃 Billing		
Billing Report		
C Administration		

Multi Operating Authority

Once you click on the menu, it will show the list with each MOA and with the carrier mode. If you select one and click the Save button or just double click on the selected item, then it will change the view to MOA mode or Carrier mode depending on what is selected.



Ilti Operating Authority	
Q Search	
All Carriers	
MOA account 1	
Number of Carriers: 9	
MOA account 2	
Number of Carriers: 0	
account 1	
Number of Carriers: 1	
account 2	
Number of Carriers: 0	
account 3	
Number of Carriers: 0	
account 4	
Save	Clos

Manage

Once a MOA is selected, the Manage menu will change, showing the selected MOA on the main screen, plus it will always stay selected on the toolbar as information for the user to know which MOA is selected.

Multi Operati	ng Authority	Selected MOA: MOA Account 1st	asterenv3
Manage			
	Multi Operating Authority		
	NAME	ACTIONS	
	MOA Account 1st		



Drivers



Carriers

When the user is working in MOA mode and clicks the Carriers button, a list will be displayed with all the carriers that belong to that MOA.

Carriers					+ New
				Q	Search
Name	DOT/NSC Number	Address	Country	Time Zone	Actions
ROBERT W BADEY	85443	252 W NEDRO AVE, PHILADELPHIA, PA, 19120	USA USA	Eastern Time (GMT-05:00)	ß
R&G TRUCKING	652232	4135 EXCHANGE RD, SUTTON, WV, 26601	USA	Eastern Time (GMT-05:00)	Z
Canada Carrier	144SAA	Canada	🚺 Canada	Eastern Time (GMT-05:00)	Ľ
Mexico Carrier	47ASAA	Mexico	Mexico	Eastern Time (GMT-05:00)	Z

The user can modify the information of the carriers and if the user authenticated in the system is a Master Reseller, he will be able to create new carriers in that MOA.

Drivers

When the user is working in MOA mode and clicks the Drivers button, a list will be displayed with all the drivers that belong to that MOA.

Drivers								+ Ne
						Q Se	arch	
Name	Username	Home Base	License Number	Carrier	Active	1	Actions	i.
3333, driver 3	newdriver	ttttt	WQQWWQ	RICHARD WEISS	~	۲	6	Ø
DRIVER, moa driver	moadriver1	MOA Home base 2	SDFSDFSDFSDFSD	RICHARD WEISS	~	۲	6	Ø
Develop, Driver	drivermoadev	MOA Home base 5 updated	12364	STITT BARN PRESERVATION LLC	~	۲	G	Ø
Driver 1, Moa	drivermoa1	new	FDGDFGDFGDF	STITT BARN PRESERVATION LLC	~	۲	8	Ø
carrier, test	testcarrier	MOA Home base 5 updated	XZXZXZX	NOBLEBEAR INC	~	۲	6	Ø
driver, driver	driverdriver	MOA Home base 5 updated	12121212	STITT BARN PRESERVATION LLC	~	۲	6	Ð
driver, test	testdriver	new	WSWSWS	B-N-B TRUCKING SERVICES	\checkmark	۲	6	Ø
driver, test	IIII	MOA Home base 2	FGFG	RICHARD WEISS	~	۲	6	Ø

From the MOA mode, when a driver is created or edited, the carrier to which it will belong can be selected. With this it will be possible to change the carrier driver every time the user requires it.



3333 Image: State Sta
Username Username Confirmation Ruleset Ruleset DVIR Access DVIR Confirmation DVIR Confirmation Confirma
newdriver Confirmation Image: Second seco
Confirmation Confirmation Ruleset G0 Hours/7 Days DVIR Access DVIR
Ruleset Comparison Ruleset Comparison Comparison Comparison DVIR Access Comparison DVIR
Ruleset 60 Hours/7 Days Ø DVIR Access* 0
60 Hours/7 Days VIR Access DVIR
DVIR Access* DVIR
DVIR
③ Registration State *
• AL •
0
-

Home Base

When the user is working in MOA mode and clicks the Home Base button, a list will be displayed with all the home bases that belong to that MOA.

Home Bases	1					+New
						Q Search
Name	Address	Latitude	Longitude	Time Zone	Main Office	Actions
Moa HB	Texas, USA	31.9686	-99.9018	Eastern Time (GMT-05:00)	~	6
moa hb 2	Los Angeles, California, USA	34.0522	-118.2437	Eastern Time (GMT-05:00)		2 🖬 🛍

Everything in the home base will work as before, the only difference is that the home bases and drivers of that selected MOA will be displayed.

Assets

When the user is working in MOA mode and clicks the Assets button, a list will be displayed with all the assets that belong to that MOA.



Assets							+Nev
						Q Se	sarch
Type	Number	VIN	Plate	Registration State	Home Base	Active	Actions
Tractor	211212	ASDASDASDASDASDAS	DASDASDFG	AZ	Tampa Home base 5	~	Ľ
Tractor	SADDSD	QWEDSACCWCWECWECW	4444	WI	Tampa Home base 5	~	ď
Tractor	ASDASD	QWE34243423423423	SDASD	AR	Tampa Home base 5	~	ľ
Tractor	FSDFSDF	DSFSDFS4WFSSGRGSG		AL	MOA Home base 2	\checkmark	ľ
Tractor	SDADASDSA	31231231231231231232	SADD	AK	Tampa Home base 5	~	B
Tractor	453215	WERFSDFRGDBHEHEHE	ЕНЕНН	AR	Cali Home	~	ľ
Trailer	44444	SA		AL	Tampa Home base 5	~	ľ
Trailer	595959			FL	Cali Home	~	C'

Everything in assets will work as before, only the assets of the selected MOA are displayed.

Notifications

When the user is working in MOA mode and clicks the Notifications button, a list will be displayed with all the notifications that belong to that MOA.

Notifications					+ New
			Q Searc	th.	
Name	Туре	Emails		Actions	
Driving no engine	Driving without engine data	user1@gmail.com, user2@gmail.com		ß	Î
Malfunction	ELD Malfunction	user1@gmail.com,user2@gmail.com,user2@gmail.com,us	iser2	Ľ	Ô

When a notification is created or edited, the home base to which it belongs is no longer selected. If the user is working in MOA mode, the MOA selected in the notification form to add or edit will be assigned by default.

Multi Operating Authority	0	Name *	(
MOA Account 1st	÷*	Notification Name	
уре *	1	Emails	(
Select notification type	Ŧ	user@mail.com,user1@mail.com,user2@mail.com	



Administration Menu

A new item was added to the administration menu, where the reseller can manage the MOAs (list, create, update or delete).



When a MOA is selected, the administration Roles menu item will be hidden, since the roles are not associated with any MOA.



MOA

Clicking on the MOA menu item will display a list with all the MOAs in the system. Here you can manage all MOAs (create, update or delete).

Multi Operating Authority		+ New
	٩	Search
Name	Number of Carriers	Actions
MOA Account 1st	11	12 1
MOA Account 2nd	0	2 0
account 1	Ϋ́.	2 0
account 2	0	2 0
account 3	0	2 0
account 4	0	1
MOA test	0	8 0
moa test1	0	1



Create or Update MOA

The process of creating or updating a MOA only allows adding a name to the MOA, since the carriers that belong to that MOA are added in the Manage menu.

Name	

If the MOA to be edited has carriers assigned, a list with their carriers will be displayed as information. This list cannot be modified from the MOA, you can only modify the information of the carriers of the MOA in the Manage menu.

Name *	3
MOA Account 1st	
Carrier List	
	Q, Search
Name	
STITT BARN PRESERVAT	TION LLC
NOBLEBEAR INC	
HARTIN PAINT & FILLER	CORP
WHITE LIGHTNING TRU	CKING SERVICE INC
ALAN FOSTER TRUCKIN	IG
B-N-B TRUCKING SERV	ICES
RONALD A TATE	
RICHARD WEISS	
L & N ENTERPRISES INC	ç
B M AUTO SALVAGE	
TRANS-SOUTHWEST CA	ARRIERS INC

A MOA cannot be removed if it has carriers assigned to it or is associated with a user. If you try to remove it, an error message will be displayed specifying the error.

The MOA cannot be deleted because it × has operators assigned to it or is associated with a user.



Users

With the creation of the MOA, a new type of carrier user appears, which is the MOA User. This user has permissions to see the entire web, with the exception that he cannot create users or roles.

Users					-	New
					Q Search	
Username	Email	Carrier	Type of User	Role	Actions	
masterenv3	test@test.com		Master Reseller	Master Reseller	ľ	Ē
moauser1	test@test.es		МОА	Master MOA	Ľ	Î
usercarrier1	test@test.ccc	DONERIGHTHAULING +1 Carriers	Full Access Client	Master Client	ľ	Ē
res1	test@test.com		Full Access Reseller	Reseller Full Client Access	ľ	Î
cr11	test@test.com	DURA SERVICES CO INC	Full Access Client	Master Client	ľ	Î
moauser2	test@test.com		MOA	Master MOA	ľ	Î
moauserqa	test@test.co		MOA	Master MOA	ľ	Ē
moauserqa2	test@test.com		MOA	Master MOA	ľ	Ē
resellerfull1	test@test.com		Full Access Reseller	Reseller Full Client Access	ľ	Ē
carrieruser1	test@test.com	DONERIGHTHAULING	Full Access Client	Master Client	ľ	Î
carrieruser2	test@test.com	DONERIGHTHAULING 13 Carriers	Full Access Client	Master Client	ľ	Ē
limitedreseller1	test@test.com	DONERIGHTHAULING +2 Carriers	Limited Reseller	Reseller Full Client Access	ľ	Î
limitedreseller2	test@test.com	DONERIGHTHAULING +1 Carriers	Limited Reseller	Reseller Full Client Access	ľ	Î
limitedenduser	test@test.com	DONERIGHTHAULING	Full Access Client	Master Client	ľ	Ē
auser1	test@test.com	DONERIGHTHAULING +10 Carriers	Full Access Client	Master Client	ľ	Î
					1	2

When a MOA is selected, the user list will only show users that are of the MOA type.

Users				+ New	
			5	Q, Search	
Usemame	Email	Type of User	Role	Actions	
moauser1	test@test.es	MOA	Master MOA	2 🛱	
moauser2	test@test.com	MOA	Master MOA	2 🖻	
moauserqa	test@test.co	MOA	Master MOA	2 1	
moauserqa2	test@test.com	MOA	Master MOA	C' D	

Create or Update MOA Users

When creating MOA users, you must select the MOA to which it belongs, and this will give the created user access to the carriers of that MOA.



Username *	?
Username	
Email *	?
mail@domain.com	
Password *	(?
****	Ø
Confirmation *	(?
****	ø
Multi Operating Authority *	ি
Select MOA	*

To create a MOA type user, the user must be working in MOA mode, otherwise it will not be possible to create new MOA users, only edit the existing ones.

The MOA type user to be edited cannot change the selected MOA, so when that user edits the selected MOA option will appear disabled.

Multi Operating Authority *	ڻ ۲
****	ø
Confirmation	3
****	8
Password	0
test@test.com	U
moauser2	0
Username *	3



Note

In general, HOS will behave in the same way as we already know, the only noticeable difference is that if the user is working in MOA mode, the data of that selected MOA will be displayed.

